



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/498,677	02/07/2000	Robert Steinhoff	TI-29599	9140

23494 7590 09/27/2006

TEXAS INSTRUMENTS INCORPORATED  
P O BOX 655474, M/S 3999  
DALLAS, TX 75265

EXAMINER
----------

MONDT, JOHANNES P

ART UNIT	PAPER NUMBER
----------	--------------

3663

DATE MAILED: 09/27/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

09/498,677

Applicant(s)

STEINHOFF ET AL.

Examiner

Johannes P. Mondt

Art Unit

3663

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 13 January 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-45 is/are pending in the application.
- 4a) Of the above claim(s) 14-45 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-13 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_\_

## DETAILED ACTION

### *Election/Restrictions*

Applicant's election of the Group I (claims 1-13) in the reply filed on 7/14/06 is acknowledged. Because applicant did not distinctly and specifically point out the supposed errors in the restriction requirement, the election has been treated as an election without traverse (MPEP § 818.03(a)). Accordingly, the restriction requirement is herewith made FINAL.

### *Claim Rejections - 35 USC § 102*

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

1. ***Claim 1-2, 6- 7, 11 and 12*** are rejected under 35 U.S.C. 102(e) as being anticipated by Williamson (6,369,427 B1).

Williamson teaches a structure (Figures 5 and 6; col. 6, l. 17 – col. 7, l. 30) comprising:

an external terminal Vdd (Figure 5 and col. 5, l. 14);

a reference terminal (ground) (Figure 5 and col. 5, l. 65-66);

a first transistor 56 (col. 6, l. 37-40) formed on a substrate ( Figures 5 and 6), the first transistor having a current path coupled between the external terminal (Vdd) and the reference (ground) terminal;

a second transistor 52 (col. 5, l. 57-59) having a current path coupled between the external terminal and the substrate (Figure 5); and

a third transistor 57 (col. 5, l. 63-66) having a current path coupled between the substrate and the reference terminal (Figures 5 and 6).

*On claims 2 and 7:* first and second transistors 56 and 52 are connected to said external and reference terminals, respectively, through first and second leads (Figures 5 and 6). Inherent in conductive leads connected to a substrate is resistance at least including contact resistance, and hence said first and second leads are first and second resistors meeting the claim limitation.

*On claim 6:* the first transistor 56 further comprises a control terminal (gate 67) (capacitively) coupled to the substrate (col. 6, l. 46).

*On claim 11:* the structure further comprises a protected circuit 34 (col. 4, l. 27-47) electrically connected to the external terminal Vdd (Figure 5).

*On claim 12:* the first transistor 56 is a MOS transistor (NMOS transistor; see col. 6, l. 37-40) having a control gate 67 (col.6, l. 44-48) coupled to the substrate.

### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. **Claims 3-5, 8-10 and 13** are rejected under 35 U.S.C. 103(a) as being unpatentable over Williamson as applied to claim 1 above, in view of Williams (6,060,752).

*On claims 3-4 and 8:* As detailed above, Williamson anticipates claim 1.

Williamson does not necessarily teach the further limitations defined by claims 3-4, or claim 8. However, it would have been obvious to include said further limitations in view of Williams, who, in a patent on a semiconductor-based ESD protection circuit (title, abstract), hence analogous art, teaches a lightly doped region as substrate 900, having a first type conductivity (p-type in Williams), a first heavily doped region (NBL region 926 or NBL region 928) having a second conductivity type (n-type in Williams) and underlying the substrate and the active region so as to suppress parasitic capacitance; and a second lightly doped region 904 having second conductivity type (n-type in Williams) formed at a face of the substrate and extending to the first heavily doped region. *Motivation* to include the teaching by Williams in the invention by Williamson derives from the resulting diode (D1) protection through the doping of the substrate, (b) additional protection provided by the well region 904 and (c) the suppression of parasitic capacitance through heavily doped buried region (926 or 928), which are advantages independent of the nature of the device operating through the active region.

*On claim 5:* in the combined invention the interface between 62 and 65 on the one hand, and the well region equivalent to 60 on the other hand form first and second

Art Unit: 3663

diodes coupled between the external terminal and the second lightly doped region (well region), and between the reference terminal and said second lightly doped region.

*On claim 9:* in the combined invention the region of substrate 60 is a lightly doped well of conductivity type opposite those of diffusion regions 62,63,64, and 65 because the device operating in the active region in Williamson comprises NMOS transistors (see col. 6, l. 32-43). Therefore, first and second diodes are formed by 62/60 and 65/60, having respective first terminals 62 and 65 coupled to the second lightly doped region (60 appropriately modified to be lightly p-doped following Williams) and a second terminal 60 coupled between respectively the first and second resistor and the current path (channel) of respectively the second and third transistor (N.B.: all three channels themselves being coupled to each other).

*On claim 10:* the structure further comprises: an isolation circuit 36 (col. 5, l. 1-5; also col. 4, l. 20-25 and Figure 5) connected to the external terminal Vdd (Figure 5); and a protected circuit 34 (col. 4, l. 26-47 and Figure 5) electrically connected to the isolation circuit.

*On claim 13:* although Williamson does not necessarily teach the further limitation that the first transistor is a bipolar transistor having a base terminal coupled to the substrate, it would have been obvious to include said further limitation in view of Williams, who teach equivalence of MOSFET device based ESD protection circuitry and bipolar transistor based ESD protection circuitry in his invention (see col. 2, l. 50-55).

3. **Claim 13** is rejected under 35 U.S.C. 103(a) as being unpatentable over

Williamson as applied to claim 1, in view of Maeda (5,976,921).

Art Unit: 3663

As detailed above, claim 1 is anticipated by Williamson. Williamson does not necessarily teach the further limitation defined by claim 13. However, it would have been obvious to include said further limitation in view of Maeda, who, in a patent on an semiconductor based ESD protection device (title, abstract), hence analogous art, teaches a ESD protection device based on MOS transistors and a bipolar transistor (see Example 1), wherein a base terminal is coupled to the substrate (abstract and col. 13, l. 48-65; P-well being the base) so as to enable the escape of excessive current and voltage. *Motivation* to include the teaching by Maeda in this regard derives from the effectiveness of the bipolar transistor to protect against excessive current and voltage.

### ***Conclusion***

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure: Anderson et al, "ESD Protection for Mixed-Voltage I/O Using NMOS Transistors Stacked in a Cascode Configuration", Electrical Overstress/Electrostatic Discharge Symposium, October 6-8, 1998.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Johannes P. Mondt whose telephone number is 571-272-1919. The examiner can normally be reached on 8:00 - 18:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jack W. Keith can be reached on 571-272-6878. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3663

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JPM

September 20, 2006

Patent Examiner:

A handwritten signature in black ink, appearing to read 'J. Mondt', is written over the printed name.

Johannes Mondt (Art Unit: 3663).